

HP LaserJet Managed MFP E52645 series



Handle business solutions securely, plus help conserve energy with HP EcoSmart toner.

Choose an HP LaserJet Enterprise MFP designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer you can rely on.⁸

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



HP LaserJet Managed MFP E52645dn



HP LaserJet Managed Flow MFP E52645c

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

Low costs, low energy use

- Stay productive with reliable cartridges, and help save energy while printing with HP EcoSmart black toner.⁸
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.²
- Enhanced energy savings —up to 29% over prior products8 plus save with Auto-on/Autooff technology.
- This MFP fits in tight places to boost performance in almost any workspace.

Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin⁴—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloudbased printer.
- Set security configuration policies and automatically validate settings for every HP printer in vour fleet.⁵
- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages —every time.
- Enter data more guickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and gravscale-optimized.
- Load up to 100 pages into the automatic document feeder for fast, unattended scanning.

ed on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of ers. visit ho.com/do/PrintersThatProtect. For more information: http://www.ho.com/do/printersecuritydaims printers, visit hp.com/gol/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims 4 High Vield Black Original Laser HI Tome Cartridges on tichuder/Jease purchase separately 3 HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings. 4 HP Vieb Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin 4 HP Vieb Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin 4 HP Vieb Jetadmin is available for download at no additional charge at http://www.hp.com/go/securitymanager 4 HP Vieb Jetadmin is available for download at no additional charge at http://www.hp.com/go/securitymanager 4 HP Vieb Jetadmin Savailable for download at no additional charge at http://www.hp.com/go/securitymanager 5 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. 7 or enable HP Soam, some devices may require infirmater to a potional accessory to add Bluetooth[®] (Wow Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam 8 HP calculations based on Energy Star normalized TEC data comparing the HP Laser.Jet 500 series monochrome printers introduced in spring 2019 HP 89A/X/Y compared to HP 87A/X.



Data sheet | HP LaserJet Managed MFP E52645 series

Product walkaround

- 1. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage¹
- 2. 2nd generation Hardware Integration Pocket²
- 3. Easy-access USB port³
- 4. 250-sheet output bin
- 5. Top cover (access to Original HP JetIntelligence toner cartridge)
- 6. 100-sheet multipurpose tray 1 supports media sizes up to 8.5×14 inches (216 x 356 mm)
- 7. 550-sheet input tray 2 supports media sizes up to 8.5 x 14 inches (216 x 356 mm) 8. 8.0-inch (20.3 cm) pivoting color touchscreen
- 9. Pull-out keyboard¹
- 10. Convenience stapler⁴
- 11. Automatic two-sided printing
- 12. HP High-Performance Secure Hard Disk⁵
- 13. Slot for cable-type security lock
- 14. Gigabit Ethernet
- 15. Hi-Speed USB 2.0 printing port
- 16. USB port for connecting external USB devices



Series at a glance





Model	HP LaserJet Managed MFP E52645dn	HP LaserJet Managed Flow MFP E52645c
Functions	Print, scan, copy (fax optional) (both models)	
Print speed (black) ⁶	Up to 45/43 pages per minute (ppm) (letter/A4) (both models)	
First page out (from ready) ⁷	As fast as 6.0/6.0 seconds (letter/A4) (both models)	
250-page ADF with single-pass, two-sided scanning	\checkmark	
100-sheet multipurpose tray 1, 550-sheet input tray 2	\checkmark	
Optional 550-sheet input tray	Add up to three	
Optional printer cabinet	\checkmark	
Input capacity (standard/maximum ⁸)	Up to 650/2,300 sheets	
Advanced workflow features, including pull-out keyboard and HP EveryPage ¹	Not available	\checkmark
Convenience stapler ⁴	Not available	\checkmark
HP High-Performance Secure Hard Disk ⁵	Optional	\checkmark
Recommended monthly page volume ⁹	4,000 to 15,000 pages	
Managed Cartridge yields	Black: ~23,000 pages ¹⁰	
Optional wireless printing ¹¹ /NFC touch-to-print ¹²	√	

- Purchase of optional paper trays required to reach maximum input capacity. Purchase of optional paper trays required to reach maximum input capacity. Pecommended Monthly Page Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. 10 Aver
- period. ¹⁰ Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. HP Managed Cartridges are not included in printer purchase; purchase separately. ¹¹ Wireless networking requires purchase of the HP Jetdirect 2900nv Print Server. Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections. ¹² Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

Advanced workflow features are available on the Flow MFP E52645c model only and include HP EveryPage, a pull-out keyboard, embedded capture functionality, built-in OCR, plus automatic page orientation, cropping, and tone adjustment.
 Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Laser Jet Managed MFP E52645 series comes with a second-generation HIP.
 An administrator must enable the easy-access USB port before use.
 The convenience staplers only available on the Flow MFP E52645c model.
 Measured using SO/EC 2473, excludes first solutional on the HP Laser Jet Managed MFP E52645d n and standard on the HP Laser Jet Managed Flow MFP E52645c model.
 Measured using SO/EC 17624, excludes first sol for other on formation, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 Measured using SO/EC 17629. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 Measured using SO/EC 17629. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.



Data sheet | HP LaserJet Managed MFP E52645 series

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:

Top features

HP printers have the industry's strongest security¹ because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP LaserJet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 60 ipm⁶—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories

2NR12A HP Removable Hard Drive Enclosure 2NR09A HP 2GB 144-Pin DDR3 TAA Version DIMM E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM 5EL03A HP TAA Version Secure Hard Disk Drive B5L29A HP High-Performance Secure Hard Disk 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory J8030A HP Jetdirect 3000w NFC/Wireless Accessory J8031A HP Jetdirect 2900nw Print Serve 2EH31A HP MFP Analog Fax Accessory 700 F2A72A HP LaserJet 550-sheet Paper Tray 1PV95A HP Internal USB Ports Qty 100 for M507 and M528 B5L28A HP Internal USB Ports 2MU47A HP Accessibility Assistant 2TD64A HP Accessibility Kit F2A73A HP LaserJet Printer Cabinet B5L31A HP Foreign Interface Harness 4QL32A HP Legic Secure USB Reader CC543B HP SmartCard NIPRNet Solution for US Government X3D03A HP Universal USB Proximity Card Reader Y7C05A HP HIP2 Keystroke Reader

Supplies

CF289A HP 89A Black Original LaserJet Toner Cartridge CF289X HP 89X High Yield Black Original LaserJet Toner Cartridge CF289Y HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge W5U23A HP 200 ADE Roller Replacement Kit Q7432A HP Staple Cartridge Pack HP Black Managed LaserJet Toner Cartridge (~23,000 pages) W9008MC

Services

UB7D2E - HP 3 years Next Business Day w/DMR LaserJet E52645 MNGD SVC UB7D3E - HP 4 years Next Business Day w/DMR Laser Jet E52645 MNGD SVC UB7D4E - HP 5 years Next Business Day w/DMR LaserJet E52645 MNGD SVC UB7D5E - HP 3 years 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7D6E - HP 4 years 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7D7E - HP 5 years 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7D8E - HP 3 years ChnlPartsOnly LaserJet E52645 MNGD SVC UB7D9E - HP 4 years ChnlPartsOnly Laser Jet E52645 MNGD SVC UB7E0E - HP 5 years ChnlPartsOnly Laser Jet E52645 MNGD SVC UB7E1PE - HP 1 year PW Next Business Day w/DMR LaserJet E52645 MNGD SVC UB7E2PE - HP 2 years PW Next Business Day w/DMR LaserJet E52645 MNGD SVC UB7E3PE - HP 1 year PW 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7E4PE - HP 2 years PW 4 hours 9x5 w/DMR LaserJet E52645 MNGD SVC UB7E5PE - HP 1 year PW ChnlPartsOnly LaserJet E52645 MNGD SVC UB7E6PE - HP 2 years PW ChnlPartsOnly LaserJet E52645 MNGD SVC









Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecuritydaims
 High HP dut-On-fits of hough capabilities are subject to printer and settings.
 He Wab Jetadmin is available for download at no additional charge at http://www.hp.com/go/vebjetadmin
 He Wab Jetadmin Savailable for download at no additional charge at http://www.hp.com/go/securitymanager
 Sas pseds measured from ADF. Actual processing speeds may vary depending on scan resolution, network to addition, computer performance, and application software.
 To enable HP Ranz, some devices may require imware to be uprinded at an optional accessory to add BluetonH* (Leb Dearoning capabilities. Subscription may be required. For more information, visit hp.com/go/roam
 HP calculations based on Energy Star normalized TEC data comparing the HP Laser Jet 500 series monochrome printers introduced in spring 2019 HP 89A/X/Y compared to HP 87A/X.



Data sheet | HP LaserJet Managed MFP E52645 series

HP LaserJet Managed MFP E52645 series

lodel roduct number	HP LaserJet Managed MFP E52645dn 1PS54A	HP LaserJet Managed Flow MFP E52645c 1PS55A	
0 functions	Print, copy, scan and optional fax	NCCCAI	
int			
nt speed ¹⁶ , ¹⁴ , ¹⁵	Letter: Up to 45 ppm (default) ; Up to 52 ppm (Hp High Speed) Black; 2-sided: Up to 36 ipm Black; First page out: A	is fast as 6. sec Black; Print speed (Landscape, A5): Up to 65 ppm Black	
nt resolution nt technology	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi		
nt cartridges number	Laser; Print resolution technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black)		
andard print languages	T Wandwork PP PCL 5 (HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™		
nter smart software Itures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
inter management / HP	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNM	P Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver	
reSupply	Configuration Utility - Driver employment Utility - Managed Printing Administrator)/ No		
an an type / Technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)		
an resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi		
an file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	Digital Send: PDF, JPEG, TIFF, MTIFF, xPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (I Searchable PDF/A (OCR), HTML (OCR), CSV (OCR), Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, xPS, PDF/A; (OCR), Unicode TEXT (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR) from easy access USB: PDF, PS, Print Ready files (pm, pd,	
an input modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensi		
an Size	ADF: 8.5 x 34.0 in Maximum; 4 x 5.8 in Minimum; Flatbed: 8.5 x 14 in		
n speed ¹³	Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color) Duplex: 43 ipm (b&w), up to 38 ipm (color) Duplex: 43 ipm (bar), up to 38 ipm (color) Duplex: 43 ip		
nner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Au	
depth / Grayscale levels	24-bit / 256	orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone	
ueptin / Grayscale levels	24-007230	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fa	
ital sending standard tures	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Send to Internet Fax; OCR: Local Address Book; SMTP over SSL: Blank Page Removal; Edge Erase; Auto Color Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Au Crop To Page; OCR	
by	Diade (CO) Up to 40 come Electrony with the fact on C. Electron Diade D aided: Up to 00 come Diade		
iy speed ¹⁷ iy resolution	Black (ISO): Up to 43 cpm; First copy out: As fast as 6.5 sec Black; 2-sided: Up to 36 cpm Black Color (text and graphics): Up to 600 x 600 dpi		
imum Number of Copies	Up to 9999 copies		
ier resize	25 to 400%		
pier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; content orientation; collation; booklet; job build; edge-to-edge job storage; ID Copy; Book Copy; A Copy (different media sizes)		
:			
speed		Up to:33.6 kbps / Letter:3 sec per page	
resolution		Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi	
Features		Fax memory: Up to 500 pages. Auto fax reduction supported: Yes, Auto-redialing: Yes, Fax delayed sending: Distinctive ing detection supported: No; Fax forwarding supported: Yes, Fax bole TAM Interface supported Fax polling supported: Yes (soll to receive only). Fax telephone mode supported: No; Junk barrier supported: Maximum speed dialing numbers: Ub to 1000 numbers (each with 210 destinations). FC Interface supported	
nectivity		Remote retrieval capability supported: No; Telephone handset supported: No	
ndard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket		
work capabilities	1 http://www.integration.com/space/spac		
Work capabilities	networking and second Ethernet port. Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and		
eless capability	Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless St	incrionality available with HP Jetdirect 3000w NFC/ Wireless Accessory J8030A, Dual band Wireless Station and v ation functionality available with HP Jetdirect 2900nw Print Server J8031A	
bile printing capability ⁶	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing		
mory	Standard: 1.25 GB (printer); 512 MB (Scanner); Maximum: 3.75 GB MAX memory, when Accessory DIMM is installed	 1.2 GHz / Storage: 500 GB hard disk drive / Hard disk: Standard, minimum 500 GB HP High-Performance Sec 	
cessor speed	1.2 GHz / Storage: 16 GB eMMC / Hard disk: 16 GB EMMC	Hard Disk (AES 256 hardware encryption or greater)	
ty cycle (monthly)	Letter: Up to 150,000 pages; Recommended monthly page volume ⁸ : 4000 to 15000	·	
per handling	100 cheat multisurges Trau1_EE0, sheet is sufficient Trau2, automatic duples printips. Up to EE0 sheets Etandards U	n to 10 equalsons	
ut tput	100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing; Up to 650 sheets Standard; U Standard: 250-sheet output bin; Up to 250 sheets Standard; Transparencies: Up to 75 sheets	Standard: 250-sheet output bin, convenience stapler; Up to 250 sheets Standard; Transparencies: Up to 75 :	
plex Options	Statudaru 250-sineer oupput uni, opiro 250 sineers statudaru, traitsparencies, opiro 75 sineers Automatic Canadaru		
o document feeder	Standard, 100 sheets		
acity velope feeder	No		
ndard paper trays	2		
dia types	c Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined		
dia weight	Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb		
dia sizes	Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; 0ptional 550-sheet tray: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; 0ptional 550-sheet tray: letter, legal, 8.5 x 13 in; 0ptional Automatic Duplexer: letter, legal, 8.5 x 13 in		
dia Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in		
nensions (w x d x h)	18.98 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 in		
ight ³	47.56 lb	49.16 lb	
at's in the box ²	HP Laser Jet Managed Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list	HP Laser Jet Managed E52645c MFP; HP Original Laser Jet Introductory Toner Cartridge (~ 7,500 pages); CDs; Guide; Support Flyers; Warranty Cards; Required Erratas; Fax cable (AP only)	
olacement cartridges ¹⁸	HP Black Managed Laser Jet Toner Cartridge (~23,000 pages) W9008MC		
rranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local le and support options in your region. (wty code 4G; wty ID A001)	gal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning se	
ergy star certified	Yes		
ergy efficiency compliance		EPEAT® Gold; ENERGY STAR® qualified; CECP; Blue Angel DE-UZ-205	
itrol panel	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quic return to the Home menu)	k 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for return to the Home menu); Integrated Keyboard	
play	8.0 in (20.3 cm) touchscreen (1024x768) LCD (color graphics); smooth gesture enabled touchscreen		
tware included	No software solutions are included in the Box, only on http://hp.com, http://123.hp.com		
nts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro Cambria);additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emul	o symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, ation available at http://www.hp.com/go/laserjetfonts	
	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Uttimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and G		
	your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Support the supported operating systems see www.hp.com/go/upd	ea Uperating Systems section, UPD PLL6 / PS Printer Drivers, Supported Operating systems, For more informat	
		arvar 2012 R2 64-bit Windows Sarvar 2016 64-bit Failovar Cluster 2008 R2 Failovar Cluster 2012 R2 Termina	
tems ¹¹	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows S	windows server 2008 Rz de-tut, windows server 2012 Rz de-tut SPT, windows server 2012 Rz-tut, windows server 2018 Rz de-tut, windows server 2012 Rz de-tut, windows server 2018 Rz de-tut,	
npatible network	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix xenApp & xenDesktop 7.6, Novell iPrint s	server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.cor	
tems ¹¹ npatible network rrating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows S server 2008 R2, Remote Desktop server 2012 R2, Citrix server 6.5, Citrix xenApp & xenDesktop 7.6, Novell iPrint t Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more inform Operating systems please see http://hp.com/go/upd	server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.cor ation see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network	
mpatible network erating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Server 2018 R2 64-bit, SP1), Windows Server 2008 R2, Remote Desktop Server 2012 R2, Citrix Server 6, 5, Citrix senApp & xenDesktop 7, 6, Novelli Print : Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Linix-For more inform Operating systems please see http://hp.com/go/upd PC2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware rec	server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.cor ation see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network	
mpatible operating stems ¹¹ mpatible network erating systems nimum system juirements	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 64-bit, SP1, Server 2008 R2 64-bit (SP1), Windows Server 2008 R2, Rento Leoktop Server 2012 R2, Citrix Server 65, Citrix xendop & xenDexktop 7.6, Novell Pintt, Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix-For more inform Operating systems please see http://hp.com/go/upd PC2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see application of the space, Internet connection or USB port, OS hardware requirements see applic com Power supply Progebit (Program) 150 or 2200 Power Supply Power supply Programed. Into You 7200 Power Supply Power Supply Programed. Into You 720 Power Supply Power Sup	server, Clirix Ready Kit Certification - Up to Clirix Server 7.18 for more information see http://tirkixeady.clirix.cor ation see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network juirements see microsoft.com; inal (+/-10%), 50 - 60 Hz nominal (+/- 3Hz), 7.5 A; Input voltace: 220V to 240V nominal (+/-10%), 50 - 60Hz no	
mpatible network erating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows S server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix xenApp & xenDesktop 7.6, Novell Print s Linux-For more information see http://devolgers.hp.com/hp.linux-imaging-and-printing, Unix-For more inform Operating systems please see http://hp.com/go/upd PC2 GB available hard dirks space, Internet connection, USB port, Internet browser. For additional OS hardware ree Mac 2 GB available hard dirks space, Internet connection or USB port, OS hardware requirements see apple.com Power supply type: Built-in 115V or 220V Power Supply: Power Supply required: Input voltage: 100V to 127V nor (+) -312/ A, Power consumption ⁺ , 629 wats (Printing), S.28 watts (Reed), S.28 wa	server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://titrixready.citrix.cor ation see http://hp.com/go/unixmodels.cripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network quirements see microsoft.com; inal (+/-10%), 50 - 60 Hz nominal (+/- 3H2), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz n -07f/Auto-01, Aux connection: 0.06 watts (Auto-0ff), 0.06 watts (0ff); Typical electricity consumption (TEC) nu	
tems ¹¹ npatible network rrating systems imum system uirements ver9 10	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 64-bit, SP1, Server 2008 R2 64-bit (SP1), Windows Server 2008 R2, Rento Leoktop Server 2012 R2, Citrix Server 65, Citrix xendop & xenDexktop 7.6, Novell Pintt, Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix-For more inform Operating systems please see http://hp.com/go/upd PC2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see application of the space, Internet connection or USB port, OS hardware requirements see applic com Power supply Programed. Into Vist 2009 Power Supply Programed. Into Vist 2009 Power Supply Power Supply Programed. Into Vist 2009 Power Supply Power Suppl	server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://titrixready.citrix.cor ation see http://hp.com/go/unixmodels.cripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network quirements see microsoft.com; inal (+/-10%), 50 - 60 Hz nominal (+/- 3H2), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz n -07f/Auto-01, Aux connection: 0.06 watts (Auto-0ff), 0.06 watts (0ff); Typical electricity consumption (TEC) nu	
mpatible network erating systems nimum system juirements	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2008 R2, Remote Desktop server 2012 R2, Citrix server 6.5, Citrix server 6.5, Citrix server 2008 R2 64-bit, Windows Server 2008 R2, Remote Desktop 7.6, Novel IPrint 1: Linux-For more information see http://devolopers.hp.com/hp.linux-imaging-and-printing, Unix-For more inform Operating systems please see http://hp.com/go/upd PC2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see apple.com Power supply type: Built-in 115V or 220V Power Supply. Power supply required: Input voltage: 100V to 127V norr (+/- 3H2), 4, R Power consumption ⁴ : 629 watts (Printing), 288 watts (Sleeaby), 0.74 watts (Sleep), 0.74 watts (Slee), 0.74 watts (Slee), 0.74 exits (Slee), 0.74	server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://litrixready.citrix.cor ation see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network quirements see microsoft.com; inal (+/-10%), 50 - 60 Hz nominal (+/- 3Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz no -01f/Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical electricity consumption (TEC) nu 4.14 KWh/week	



Data sheet | HP LaserJet Managed MFP E52645 series

¹ EPEAT[®] registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ² In box cartridge yields 7,500 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies ³ with print cartridges

⁶ In box cartridge yeas, 7,300 black pages based on ISUMK 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/eamaboutsupplies.
 ⁸ With print cartridges
 ⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages, This will damage the printer and vold the product warranty. Power consumption values typically based on measurement of 115V device.
 ⁶ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on targets printed and other factors. For more information, visit: http://www.hp.com/go/eamaboutsupplies.
 ⁶ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth* Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/eamaboutsupplies.
 ⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. Finis will damage the printer and vold the product warranty. Energy Star value typically based on measurement of 115V device.
 ⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. Finis will damage the printer and vold the product warranty. Energy Star value typically based on measurement of 115V device.
 ¹⁹ Status Status BDE. A Device available to ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum sleep delay was used, Wi-Fi Direct was disabled and Active I/O - Energy Efficient Ethernet - was used.
 ¹⁹ Status Status BDE. A Device available to ES 2.0 TEC. This measurement of 115V device.
 ¹⁹ Status Status BDE. A Device available and Status Interocessing speeds may vary depending on scan resolutio

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. 4AA7-4652ENUC, June 2020, R5

