



# HP Color LaserJet Enterprise MFP M577 series

Conserve energy and boost productivity with an MFP that delivers multi-level device security.<sup>10</sup>

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient color MFP.

## High-speed performance meets energy efficiency



HP Color LaserJet Enterprise MFP M577dn

- Don't wait for documents. Print your first page in as few as 9 seconds from energy-efficient sleep mode.<sup>2</sup>
- Speed through jobs. Print two sides as quickly as one—up to 40 ipm<sup>9</sup>—and scan both sides of the page at once.
- This MFP uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.<sup>3</sup>
- Choose a maximum capacity of up to 2300 sheets.<sup>8</sup> Print up to 59 pages per minute on A5.<sup>9</sup>



HP Color LaserJet Enterprise MFP M577f

## Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.<sup>10</sup>
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.<sup>10</sup>
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.<sup>11</sup>
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>12</sup>



HP Color LaserJet Enterprise Flow MFP M577c

## More. Pages, Performance, and Protection.

- Make an impression with leading color quality from HP. Get unparalleled printing for your office needs.
- Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges.<sup>113</sup>
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled toner cartridges. Replace them with cartridges featuring auto seal removal.



HP Color LaserJet Enterprise Flow MFP M577z

## Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.<sup>5</sup>
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.<sup>6</sup>
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.<sup>7</sup>
- Easily access, print, and share resources with Ethernet and optional wireless networking.<sup>4</sup>

<sup>1</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original LaserJet Toner Cartridges with HP 508X High Yield Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>

<sup>2</sup> Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see <http://www.hp.com/go/Ljclaims>

<sup>3</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in [energystar.gov](http://energystar.gov) versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>

<sup>4</sup> Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

<sup>5</sup> Wireless direct printing is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see <http://www.hp.com/go/businessmobileprinting>

<sup>6</sup> Touch-to-print capability is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see <http://www.hp.com/go/businessmobileprinting>

<sup>7</sup> Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>

<sup>8</sup> Purchase of optional paper trays required to reach maximum input capacity.

<sup>9</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>10</sup> Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at <http://www.hp.com/go/printsecurity>

<sup>11</sup> Some solutions require download or additional purchase. Learn more at <http://www.hp.com/go/printingsolutions>

<sup>12</sup> Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at <http://www.hp.com/go/webjetadmin>

<sup>13</sup> HP 508X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.


<sup>14</sup> An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

## Product walkaround

1. Intuitive 8-inch (20.3 cm) color touchscreen tilts up for easier viewing
2. Convenience stapler
3. Pull-out keyboard for easy, accurate data entry
4. Convenient front on/off button
5. Right door (access to print path)
6. 100-sheet multipurpose tray
7. 550-sheet input tray 2
8. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage
9. Hardware Integration Pocket<sup>1</sup> (for connecting accessory and third-party devices)
10. Easy-access USB port to save and print files directly<sup>2</sup>
11. Built-in wireless direct Printing<sup>3</sup>/NFC touch-to-print<sup>4</sup>
12. 250-sheet output bin
13. Front door (access to HP JetIntelligence Toner cartridges)
14. Built-in automatic two-sided printing
15. 1.75 GB standard memory (upgradeable to 2.5 GB) and a 1.2 GHz processor
16. HP High-Performance Secure Hard Disk
17. Fax port
18. HP Jetdirect Gigabit Ethernet print server
19. Slot for optional cable-type security lock
20. Hi-Speed USB 2.0 port (for connecting third-party devices)
21. Hi-Speed USB 2.0 printing port



Front view



## Series at a glance



Model	HP Color LaserJet Enterprise MFP M577dn	HP Color LaserJet Enterprise MFP M577f	HP Color LaserJet Enterprise Flow MFP M577c	HP Color LaserJet Enterprise Flow MFP M577z
Model	MFP M577dn	MFP M577f	Flow MFP M577c	Flow MFP M577z
Product number	B5L46A	B5L47A	B5L54A	B5L48A
HP High-Performance Secure Hard Disk	√			
100-page ADF with single-pass, two sided scanning	√		√ (Plus HP EveryPage)	
Fax capability	Optional	√		
Convenience stapler	Not available	√		
Advanced workflow features including pull-out keyboard	Not available		√	
Wireless direct printing <sup>3</sup> /NFC <sup>4</sup>	Optional			√

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket may require additional purchase.

<sup>2</sup> An administrator must enable the easy-access USB port before use.

<sup>3</sup> Wireless direct printing is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see [hp.com/go/businessmobileprinting](http://hp.com/go/businessmobileprinting).

<sup>4</sup> Touch-to-print capability is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see [hp.com/go/businessmobileprinting](http://hp.com/go/businessmobileprinting).

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: [hp.com/go/cpc](http://hp.com/go/cpc):

## Top features

This efficient MFP is designed to conserve energy without sacrificing productivity—so users can speed through tasks and move business forward. It also uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.<sup>3</sup>

Trust your MFP is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire fleet.<sup>10</sup>

Bring out the best in your MFP. Print more high-quality pages than ever before,<sup>1</sup> using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access<sup>5</sup>—and keep users connected with Ethernet and optional wireless networking.<sup>4</sup> Print with just a touch from mobile devices.<sup>6</sup>

### Accessories

H2MU47A	HP Accessibility Assistant
ZNR09A	HP 2GB 144-Pin DDR3 TAA Version DIMM
ZNR12A	HP Removable Hard Drive Enclosure
2TD64A	HP Accessibility Kit
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
5EL03A	HP TAA Version Secure Hard Disk Drive
B5L28A	HP Internal USB Ports
B5L31A	HP Foreign Interface Harness
B5L34A	HP Color LaserJet 550-sheet Media Tray
B5L51A	HP Color LaserJet Printer Cabinet
B5L52A	HP 200 ADF Roller Replacement Kit
B5L53A	HP LaserJet MFP Analog Fax Accessory 600
CC543B	HP SmartCard NIPRNet Solution for US Government
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
E5K49A	HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
F5S62A	HP Trusted Platform Module Accessory
F8B30A	HP SmartCard SIPRNet Solution for US Government
HG277TT	HP MICR Printing Solution - USB
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
J8031A	HP Jetdirect 2900nw Print Server
W5U23A	HP 200 ADF Roller Replacement Kit
Q7432A	HP Staple Cartridge Pack
A7W12A	HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese

### Services

U8TH7E - HP 3 year Next Business Day + Defective Media Retention Color LaserJet M577 MultiFunction Hardware Support

U8TH8E - HP 4 year Next Business Day + Defective Media Retention Color LaserJet M577 MultiFunction Hardware Support

U8TH9E - HP 5 year Next Business Day + Defective Media Retention Color LaserJet M577 MultiFunction Hardware Support

U8TJ0E - HP 3 year 4 hour 9x5 + Defective Media Retention Color LaserJet M577 MultiFunction Hardware Support

U2010E - HP Network Installation mid-range LaserJet Multifunction printer Service

### Solutions

HP Web Jetadmin: [hp.com/go/wja](http://hp.com/go/wja)

HP Universal Print Driver: [hp.com/go/upd](http://hp.com/go/upd)

HP Imaging and Printing Security Center: [hp.com/go/ipsc](http://hp.com/go/ipsc)



<sup>1</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original LaserJet Toner Cartridges with HP 508X High Yield Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>

<sup>2</sup> Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see <http://www.hp.com/go/ljclaims>

<sup>3</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/ljclaims>

<sup>4</sup> Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

<sup>5</sup> Wireless direct printing is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see <http://www.hp.com/go/businessmobileprinting>

<sup>6</sup> Touch-to-print capability is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see <http://www.hp.com/go/businessmobileprinting>

<sup>7</sup> Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>

<sup>8</sup> Purchase of optional paper trays required to reach maximum input capacity.

<sup>9</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>10</sup> Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at <http://www.hp.com/go/printsecurity>

<sup>11</sup> Some solutions require download or additional purchase. Learn more at <http://www.hp.com/go/printingsolutions>

<sup>12</sup> Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at <http://www.hp.com/go/webjetadmin>

<sup>13</sup> HP 508X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.

<sup>14</sup> An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use

	HP Color LaserJet Enterprise MFP M577dn	HP Color LaserJet Enterprise MFP M577f	HP Color LaserJet Enterprise Flow MFP M577c	HP Color LaserJet Enterprise Flow MFP M577z		
Product number	B5L46A	B5L47A	B5L54A	B5L48A		
AIO functions	Print, copy, scan; <b>AIO multitasking supported:</b> Yes	Print, copy, scan, fax; <b>AIO multitasking supported:</b> Yes				
Print						
Print speed <sup>1</sup> /2220	<b>Letter:</b> Up to 40 ppm Black; Up to 40 ppm Color; <b>2-sided:</b> Up to 40 ipm Black; Up to 40 ipm Color; <b>First page out:</b> As fast as 5.5 sec Black; As fast as 6.9 sec Color; <b>Print speed (Landscape, A5):</b> Up to 59 ppm Black; Up to 59 ppm Color <b>Black (best)</b> : HP ImageREt 3600; <b>Black (normal)</b> : Up to 600 x 600 dpi; <b>Black (fine lines)</b> : Up to 1200 x 1200 dpi <b>Color (best)</b> : HP ImageREt 3600; <b>Color (normal)</b> : Up to 600 x 600 dpi; <b>Color (fine lines)</b> : Up to 1200 x 1200 dpi		<b>Letter:</b> Up to 40 ppm Black; Up to 40 ppm Color; <b>2-sided:</b> Up to 40 ipm Black; Up to 40 ipm Color; <b>First page out:</b> As fast as 5.7 sec Black; As fast as 6.9 sec Color; <b>Print speed (Landscape, A5):</b> Up to 59 ppm Black; Up to 59 ppm Color			
Print resolution						
Print technology	Laser; <b>Print resolution technology:</b> HP ImageREt 3600, Pantone Calibrated					
Print cartridges number	4 (1 each black, cyan, magenta, yellow)					
Standard print languages	XPS, HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)					
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP Easy Color					
Printer management	UPD Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP JetAdvantage Security Manager					
Scan						
Scan type / Technology	<b>Type:</b> Flatbed, ADF (two-sided, single-pass); <b>Technology:</b> Contact Image Sensor (CIS)					
Scan resolution	<b>Hardware:</b> Up to 600 x 600 dpi; <b>Optical:</b> Up to 600 dpi					
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)			
Scan input modes	Front panel applications: Copy, E-mail, Fax, Save to Network Folder, save to USB, Save to Device Memory, Open Extensibility Platform (OXIP) applications		Front panel applications: Copy, E-mail, Fax, Save to Network Folder, Save to USB, Save to Device Memory, Save to SharePoint, Open Extensibility Platform (OXIP) applications			
Scan Size	<b>ADF:</b> 8.5 x 14 in Maximum; 4.1 x 5 in Minimum; <b>Flatbed:</b> Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color)		<b>ADF:</b> 8.5 x 14 in Maximum; 4.1 x 5 in Minimum; <b>Flatbed:</b> Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color)			
Scan speed <sup>2</sup> / <sup>3</sup>	Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color) <b>Duplex:</b> Up to 43 ppm (b&w), up to 38 ipm (color)		Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color) <b>Duplex:</b> Up to 64 ipm (b&w), up to 58 ipm (color)			
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; %Products.scanformat%:%% PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page, Auto-tone: %Products.scanformat%:%% Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)			
Bit depth / Grayscale levels	24-bit / 256					
Digital sending standard features	Scan to e-Mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Scan to e-Mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Scan to e-Mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMT over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR			
Copy						
Copy speed <sup>2</sup> / <sup>1</sup>	<b>Black (ISO):</b> Up to 38 cpm; <b>Color (ISO):</b> Up to 38 cpm; <b>First copy out:</b> As fast as 5.4 sec Black; As fast as 8.7 sec Color; <b>2-sided:</b> Up to 40 cpm Black; Up to 40 cpm Color		<b>Black (ISO):</b> Up to 38 cpm; <b>Color (ISO):</b> Up to 38 cpm; <b>First copy out:</b> As fast as 5.5 sec Black; As fast as 8.7 sec Color; <b>2-sided:</b> Up to 40 cpm Black; Up to 40 cpm Color			
Copy resolution	<b>Black (text and graphics):</b> Up to 600 x 600 dpi; <b>Color (text and graphics):</b> Up to 600 x 600 dpi					
Maximum Number of Copies	Up to 9999 copies					
Copy resize	25 to 400%					
Copier settings	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes)					
Fax						
Fax speed			Up to 33.6 kbps / Letter: 3 sec per page			
Fax resolution			<b>Black (best):</b> Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); <b>Black (standard):</b> 204 x 98 dpi			
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule					
Fax Features	<b>Auto fax reduction supported: Yes;</b> <b>Auto-redialing: Yes;</b> <b>Fax delayed sending: No;</b> <b>Distinctive ring detection supported: No;</b> <b>Fax forwarding supported: Yes;</b> <b>Fax phone TAM interface supported: No;</b> <b>Fax paging supported: Yes</b> (poll to receive only); <b>No junk barrier supported: Yes;</b> <b>Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes;</b> <b>Remote retrieval capability supported: No;</b> <b>Telephone handset supported: No</b>					
Connectivity						
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket; Fax				
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)					
Wireless capability	Optional, enabled with purchase of hardware accessory.		Yes, built-in Gigabit Ethernet, Wi-Fi 802.11b/g/n			
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0		HP ePrint; Apple AirPrint™; Mopria™-certified; NFC Touch-to-print; Wireless Direct Printing; Google Cloud Print 2.0			
Memory <sup>8</sup>	<b>Standard:</b> 1.25 GB (printer), 500 MB (scanner); <b>Maximum:</b> 2.0 GB (printer), 500 MB (scanner)					
Processor speed	1.2 GHz / <b>Hard disk:</b> Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB					
Duty cycle (monthly) <sup>9</sup>	<b>Letter</b> up to 80,000 pages; <b>Recommended monthly page volume</b> 10,000 to 7500					
Paper handling						
Input	100-sheet multipurpose tray, 550-sheet input tray 2; Up to 650 sheets Standard; Up to 10 envelopes					
Output	250-sheet output bin; Up to 250 sheets Standard; Up to 100 sheets					
Duplex Options	Automatic (standard)					
Auto document feeder capacity	Standard, 100 sheets					
Envelope feeder	No					
Standard paper trays	2					
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, heavy, textured, user-defined					
Media weight	Tray 1: 16 to 58 lb (plain); Tray 2: 16 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain paper); Tray 2: 16 to 58 lb (glossy paper); Tray 2: 16 to 58 lb (glossy paper)					
Media sizes	Tray 1: letter, legal, office, executive, statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, postcard (US), double postcard (US), 8.5 x 13, envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: letter, executive, statement, 4 x 6, 5 x 7, 5 x 8, double postcard (US); Custom: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: letter, legal, office, executive, 8.5 x 13; Custom: 4.0 x 5.85 to 8.5 x 14 in					
Media Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: 4.0 x 5.85 to 8.5 x 14 in					
Dimensions (w x d x h) <sup>10</sup>	18.98 x 19.84 x 22.95 in; <b>Maximum:</b> 27.5 x 19.84 x 22.95 in					
Weight <sup>11</sup>	84 lb	84.5 lb	85 lb			
What's in the box <sup>1</sup>	Printer; Four preinstalled HP LaserJet toner cartridges (yield ~6000 pages black, ~5000 pages color); Toner collection unit; In-box documentation; Software CD; Power Cord	Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collection unit; In-box documentation; Software CD; Power Cord; fax cable		Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collection unit; In-box documentation; Software CD; Power Cord; fax cable		
Warranty features	One-year, next-business day, on-site warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.					
Energy efficiency compliance	ENERGY STAR® qualified; EPEAT® Silver; CEECP		ENERGY STAR® qualified; EPEAT® Silver; CEECP			
Control panel	8.0-in (20.3 cm) color touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick return to the Home menu)		8.0-in (20.3 cm) color touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick return to the Home menu) and integrated keyboard			
Display	8" color touchscreen					
Software included	For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)					
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/asetontfonts">http://www.hp.com/go/asetontfonts</a>					
Compatible operating systems <sup>13</sup>	Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (In-OS drivers); OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0 x 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX					
Compatible network operating systems	Windows OS compatible with In-Box Driver; Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/2016 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2019/2019 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2022/2022 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2025/2025 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2028/2028 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2031/2031 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2034/2034 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2037/2037 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2040/2040 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2043/2043 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2046/2046 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2049/2049 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2052/2052 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2055/2055 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2058/2058 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2061/2061 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2064/2064 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2067/2067 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2070/2070 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2073/2073 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2076/2076 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2079/2079 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2082/2082 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2085/2085 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2088/2088 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2091/2091 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2094/2094 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2097/2097 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2100/2100 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2103/2103 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2106/2106 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2109/2109 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2112/2112 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2115/2115 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2118/2118 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2121/2121 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2124/2124 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2127/2127 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2130/2130 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2133/2133 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2136/2136 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2139/2139 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2142/2142 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2145/2145 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2148/2148 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2151/2151 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2154/2154 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2157/2157 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2160/2160 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2163/2163 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2166/2166 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2169/2169 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2172/2172 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2175/2175 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2178/2178 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2181/2181 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2184/2184 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2187/2187 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2190/2190 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2193/2193 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2196/2196 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2199/2199 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2202/2202 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2205/2205 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2208/2208 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2211/2211 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2214/2214 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2217/2217 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2220/2220 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2223/2223 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2226/2226 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2229/2229 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2232/2232 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2235/2235 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2238/2238 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2241/2241 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2244/2244 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2247/2247 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2250/2250 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2253/2253 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2256/2256 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2259/2259 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2262/2262 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2265/2265 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2268/2268 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2271/2271 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2274/2274 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2277/2277 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2280/2280 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2283/2283 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2286/2286 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2289/2289 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2292/2292 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2295/2295 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2298/2298 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2301/2301 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2304/2304 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2307/2307 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2310/2310 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2313/2313 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2316/2316 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2319/2319 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2322/2322 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2325/2325 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2328/2328 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2331/2331 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2334/2334 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2337/2337 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2340/2340 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2343/2343 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2346/2346 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2349/2349 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2352/2352 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2355/2355 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2358/2358 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2361/2361 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2364/2364 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2367/2367 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2370/2370 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2373/2373 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2376/2376 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2379/2379 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2382/2382 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2385/2385 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2388/2388 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2391/2391 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2394/2394 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2397/2397 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2400/2400 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2403/2403 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2406/2406 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2409/2409 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2412/2412 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2415/2415 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2418/2418 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2421/2421 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2424/2424 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2427/2427 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2430/2430 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2433/2433 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2436/2436 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2439/2439 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2442/2442 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2445/2445 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2448/2448 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2451/2451 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2454/2454 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2457/2457 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2460/2460 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2463/2463 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2466/2466 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2469/2469 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2472/2472 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2475/2475 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2478/2478 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2481/2481 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2484/2484 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2487/2487 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2490/2490 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2493/2493 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2496/2496 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2499/2499 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2502/2502 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows					



1495 Canyon Blvd. #146 • Boulder CO 80302 • (877) 770-1855

## Data sheet | HP Color LaserJet Enterprise MFP M577 series

<sup>1</sup> Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors.

<sup>2</sup> Without Tray 1 or Legal extension extended

<sup>3</sup> With printer cartridges

<sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

<sup>5</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

<sup>6</sup> Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see

<http://www.hp.com/go/learnaboutSupportlies>

<sup>7</sup> HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit <http://www.hp.com/go/SureSupply>

<sup>8</sup> Max memory is with 1 GB DIMM installed. The maximum the Firmware can use is 2 GB so 250 MB is unused in this configuration.

<sup>9</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<sup>10</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>11</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>12</sup> HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.

<sup>13</sup> Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelsripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software.

To learn more, visit [hp.com](http://hp.com)

© Copyright 2015–2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

4AA6-1663ENUC, August 2019, R2

