# HP Color LaserJet Managed E65150 series



This HP Color LaserJet with JetIntelligence merges performance, energy efficiency, and security.

This HP Color LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network with the industry's deepest security.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies

### The World's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>2</sup>
- Give workgroups what they need to succeed. Easily choose and deploy over 175 HP and third-party solutions.



- Speed through tasks and save paper. Print two-sided documents at up to 50 images per minute.<sup>3</sup>
- This printer wakes up fast and prints your first page fast.4
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal .

### Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges. 5
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.




HP Color LaserJet Managed E65150dn



Datasheet | HP Color LaserJet Managed E65150 series

# Product walkaround

- 1.500-sheet output bin
- 2. Cartridge door release button
- 3. Front door (access to toner cartridges)
- 4. Built-in automatic two-sided printing
- 5. 550-sheet tray 2 supports media sizes up to  $8.5 \times 14$  inches (216  $\times$  356 mm)
- 6. 4.3-inch (10.9 cm) color graphics display with touchscreen
- 7. Hardware Integration Pocket<sup>1</sup>
- 8. Easy-access USB port2
- 9. 100-sheet multipurpose tray 1 supports media sizes up to  $8.5 \times 14$  inches (216 × 356 mm)
- 10. Lower right door (access to paper path)
- 11. Slot for cable-type security lock
- 12. Built-in Gigabit Ethernet port
- 13. Hi-Speed USB 2.0 printing port
- 14. USB port for connecting external USB devices



HP Color LaserJet Managed E65150dn

# Series at a glance



Model	HP Color LaserJet Managed E65150dn	
Product number	3GY03A	
Functions	Print	
Print speeds <sup>3</sup>	Letter/A4: Up to 50/47 pages per minute (ppm) (black and color) A5 landscape: Up to 74 ppm (black and color)	
First page out (black and color)	From ready: As fast as 6.4/6.5 seconds (letter/A4) <sup>4</sup> From sleep: As fast as 8.4/8.5 seconds (letter/A4) <sup>5</sup>	
100-sheet multipurpose tray 1, 550-sheet tray	2 √	
Optional paper-handling accessories	See Paper-handling accessories table below for details	
Input capacity (standard/maximum <sup>7</sup> )	Up to 650/3,200 pages	
Managed Cartridge yields	Black: ~32,200 pages Color: ~28,000 pages	
Recommended Monthly Page Volume (RMPV)9	3,000 to 24,000 pages	
Wireless direct <sup>10</sup> /NFC touch-to-print <sup>11</sup> /BLE <sup>12</sup>	Optional	
Wireless networking <sup>13</sup>	Optional	

Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>2</sup> An administrator must enable the easy-access USB port before use. <sup>3</sup> Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Measured using ISO/IEC 17629. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep. <sup>6</sup> The printer comes standard with the 100-sheet multipurpose tray 1 and 550-sheet paper feeders; or add one of the other accessories (1x550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeder and stand, or 1x550 and 2,000-sheet HCI feeder and stand). All optional accessories support media sizes up to 8.5 x 14 inches (216 x 356 mm). <sup>7</sup> Purchase of optional paper trays required to reach maximum input capacity, <sup>8</sup> Average black declared yields based on ISO/IEC 19798 and continuous printing. Average color composite (*C/MY*) declared yields based on ISO/IEC 19798 and continuous printing. Average color composite (*C/MY*) declared yields based on ISO/IEC 19798 and continuous printing. Average black declared yields based on ISO/IEC 19798 and continuous printing. Average color composite (*C/MY*) declared yields based on ISO/IEC 19798 and continuous printing. Average color composite (*C/MY*) declared yields based on ISO/IEC 19798 and continuous printing. Average color composite (*C/MY*) declared yields based on ISO/IEC 19798 and continuous printing. Average color composite (*C/MY*) declared yields based on ISO/IEC 19798 and continuous printing. Average color composite (*C/MY*) declared yields based on ISO/IEC 19798 and continuous printing. Average color composite (*C/MY*) declared yields based on ISO/IEC 19798 and continuous printing. Average color composite (*C/MY*) declared yields based on ISO/IEC 19798 and continuous printing. Average color co



Datasheet | HP Color LaserJet Managed E65150 series

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

# Top features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 50 pages per minute<sup>2</sup>, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Help protect your printer using Original HP Toner cartridges with JetIntelligence.

For carepack availability visit: hp.com/go/cpc

### Accessories

P1B09A HP Color LaserJet 550-sheet Paper Feeder P1B10A HP Color LaserJet 550-sheet Paper Feeder with Stand and Cabinet P1B11A HP Color LaserJet 3x550-sheet Paper Feeder with Stand HP Color LaserJet 1x550/2000-sheet Feeder and Stand P1B12A B5L28A HP Internal USB Ports B5L29A HP Secure High Performance Hard Disk Drive HP Jetdirect 2900nw Print Server J8031A E5K48A HP 1 GB DDR3 x32 144-Pin 800MHz SODIMM 2MU47A Accessibilty Assistant J8030A HP Jetdirect 3000w NFC/Wireless Accessory HP JetDirect 3100w BLE/NFC/Wireless Accessory 3 IN69A 2NR12A HP Removable Hard Drive Enclosure X3D03A HP USB Universal Card Reader Y7C05A HP HIP2 Keystroke Reader 4QL32A HP Legic Reader HP 2 GB DDR3x32 144-Pin 800MHz SODIMM Accessory E5K49A

### Supplies

W9000MC HP Black Managed LaserJet Toner Cartridge (~32,200 pages)
W9001MC HP Cyan Managed LaserJet Toner Cartridge (~28,000 pages)
W9002MC HP Yellow Managed LaserJet Toner Cartridge (~28,000 pages)
W9003MC HP Magenta Managed LaserJet Toner Cartridge (~28,000 pages)

# Services

U9PD4E U9PD7E HP 5 year Next Business Day w/DMR Service for Color LaserJet E65xxx Managed
U9PD7E HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet E65xxx Managed
U9PE2PE HP 2 years Post Warranty Next Business Day w/DMR Service for Color LaserJet E65xxx Managed

U9PE4PE HP 2 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E65xxx Managed













<sup>&</sup>lt;sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims. <sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.



Datasheet | HP Color LaserJet Managed E65150 series

# HP Color LaserJet Managed E65150 series

Technical Specifications	HP Color LaserJet Managed E65150dn (3GY03A)	
Print speed	Letter: Up to 50 ppm black; Up to 50 ppm color; A4: Up to 47 ppm black; Up to 47 ppm color <sup>15</sup> ; First Page Out Letter: As fast as 6.4 sec black; As fast as 6.4 sec color; First Page Out A4: As fast as 6.5 sec black; As fast as 6.5 sec color <sup>13</sup> ; Print Speed (Portrait, A5): Up to 74 ppm black; Up to 74 ppm color <sup>14</sup>	
Print resolution	Black (best): Up to 1200 x 1200 dpi; Colour (best): Up to 1200 x 1200 dpi	
Print Technology	Laser; Print Resolution Technologies: 600 x 600 dpi; HP ImageRet 3600, HP ProRes 1200 (1200 x 1200 dpi), Pantone© Calibrated	
Print Cartridges Number	4 (1 each black, cyan, magenta, yellow)	
Standard Print Languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Printer Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP EasyColor	
Printer Management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)	
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket	
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	
Wireless Capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w Print Server J8031A	
Mobile Printing Capability	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM capable for easy printing <sup>8</sup>	
Memory	Standard: 1 GB; Maximum: 2 GB MAX memory, when Accessory DIMM is installed	
Processor Speed	1.2 GHz / Hard dlsk: Optional, 500 GB (with accessory B5L29A)	
Duty Cycle	Monthly, letter: Up to 150,000 pages <sup>10</sup> : Recommended Monthly Page Volume: 3,000 to 24,000 <sup>11</sup>	
Paper Handling	Input Capacities: 100-sheet multi-purpose tray, 550-sheet input tray 2; Up to 650 sheets standard labels legal; Output Capacities: 500-sheet output bin; Up to 500 sheets standard labels legal; Duplex Options: Automatic (standard): Erwelope Feeder No. Schadard Appear Trays; 2; Media Types Supported: Pare (rightin, light) to not, recycled, mid-weight (plassy), heavy glossy, extra heavy, extra heavy glossy, extra heavy, extra heavy glossy, extra heavy, extra heavy glossy, extray 2 and automatic two-sided printing unit: 16 to 90 lb (plain) 3 to 58 lb (glossy); Tray 2 and automatic two-sided printing unit: 16 to 90 lb (plain) 3 to 58 lb (glossy); Tray 3, 4, 51 x550-sheet terders; To 90 lb (plain) 3 2 to 58 lb (glossy); Diptional Tray 4, 2,000-sheet high capacity input: 16 to 58 lb (plain), Media Sizes Supported: Tray 1: Letter, legal, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 7 in, 5 x 8 in,	
Product Dimensions	<b>W x D x H</b> : 20.08 x 18.03 x 17.32 in; <b>Maximum:</b> 37.91 x 30.31 x 20.16 in	
Product Weight	68.9 lb <sup>3</sup>	
What's in the box	HP Color Laser Jet Printer; HP Black, Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (toner cartridges) installed); Documentation (Hardware Install Guide); Power cord; Fixed-Size Cassette Guides <sup>2</sup>	
Replacement Cartridges	HP Black Managed Laser Jet Toner Cartridge (~32,200 pages) W9000MC; HP Cyan Managed Laser Jet Toner Cartridge (~28,000 pages) W9001MC; HP Yellow Managed Laser Jet Toner Cartridge (~28,000 pages) W9001MC; HP Magenta Managed Laser Jet Toner Cartridge (~28,000 pages) W9003MC?	
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region code 4G)	
Energy Efficiency Compliance	ENERGY STAR® qualified; EPEAT® Silver; CECP 1	
Control Panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button	
Display Description	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	
Software Included	No software solutions are included in the Box, only on http://hp.com, http://hp.com	
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts	
Compatible Operating Systems	Windows Client OS (32/64 bit), Win 10, Win8.11, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS High Sierra v10.13, Apple® macOS High Sierra v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search for User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported Operating systems, Section, UPD PCL6 / PS Printer Drivers, Supported Operating systems section, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS High Sierra v1	
Compatible Network Operating Systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Clitrix Server 7.18 for more information see http://developers.hp.com/p-linux-imaging-and-printing, Unix-For more information see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating system please see http://hp.com/go/upd	
Minimum System Requirements	PC: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; MAC: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com	
Power	Power Supply Type: Built-in 115V or 220V Power Supply; Power Requirements: input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 12 4; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 6 A; Power Consumption: 690 watts (printing), 31 watts (ready), 0.7 watts (sleep), 0.7 watts (sleep), 0.7 watts (Auto Off/Manual On), 0.1 (Manual Off) <sup>4</sup> ; TEC number: ES: 1.96 kWh/Week; BA: 1.93 kWh/Week <sup>5</sup> Best (TEC): 1.93 kWh/Week <sup>5</sup>	
Acoustics	Acoustic Power Emissions: 6.7 B(A); Acoustic Pressure Emissions: 52 dB(A) <sup>9</sup>	
Operating Environment	Operating Temperature Range: 50 to 90.5%; Recommended Operating Temperature: 59 to 80.6%; Storage Temperature Range: -4 to 104%; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH	
Security Management	Identity management: Kerberos authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers), Network: [Psec/firevealt with Certificate; Pre-Shared Key; an Kerberos authentication; Supports WIA-10 [Psec configuration Plug-in: 80.21.X authentication (EAP-PEAP: EAP-TLS); SNMP-3; HTTPS; Certificates; Access Control Llst; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cyptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocker for security solutions; intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS integrity Checking with self-healing capability, Whitsing - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAddvantage; Device Security Syslog Messages processed and accessable in Arcsight and Splank SIEMS	

<sup>1</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. 2 Standard cartridges included; yields 12,500 black and 10,500 color composite (C/M/Y) pages. Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. <sup>3</sup> With print cartridges. <sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device. <sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. <sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. <sup>6</sup> Based on 150/IEC 19752 and continuous printing. Actual yields based on ISO/IEC 19752 and continuous printing. Actual yields based on ISO/IEC 19752 and continuous printing. Actual yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. <sup>8</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth\* Low Energy (ELE) beaconing capabilities. Subscription may be required. For more information, wish http://hp.com/go/learnaboutsupplies. <sup>8</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth\* Low Energy (ELE) beaconing capabilities. Subscription may be required. For more information wish http:/

### Learn more at hp.com

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services, Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. Air Print, [Pad, [Phone, and [Pod touch are and [Pod touch are not]].

