HP PageWide Managed Color MFP E58650 series



Ultimate value, fastest speeds, and deepest security for today's enterprise.

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.

Dynamic security: Cartridges with non-HP chips might not work today or in the future.

Learn more at hp.com/go/learnaboutsupplies

Professional color, breakthrough total cost

- Results you expect and lasting value—breakthrough total cost of ownership, the lowest in its class.^₃
- Print professional-quality color on a variety of papers—perfect for office use.
- Print up to 2.5x more pages4 and replace less often than standard cartridges5 with high-yield options.
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology.



- Wait less, print more with unmatched speeds —up to 75 ppm—and superfast first-page printing.
- Fast two-sided scanning—up to 70 ipms—and HP EveryPage help workgroups capture data with confidence.
- Enter data quickly with the pull-out keyboard and transfer scans into editable text, using built-in OCRs
- Queue jobs, embed solutions, and use multiple functions at once—scan, copy, or fax while someone is printing.



- Embedded features detect security threats and heal your MFP, protecting it from boot up
- Help protect data on the MFP and in transit, using embedded security features and 256-bit encryption.10
- Help build business efficiency with HP Web Jetadmin," plus deploy over HP and 180 third-party solutions.
- Employ policy-based, fleet-wide protection features, using optional HP JetAdvantage Security Manager.12

Proven technology. Outstanding energy efficiency.

- Add a spot of color to documents without raising costs. 14 Regulate color use with HP Color Access Control.
- Print up to 16,000 color pages and up to 21,000 black-and-white pages—and go longer between replacements.5
- Conserve with HP PageWide Technology—designed to use less energy than any MFP in its class.™
- Get professional-quality color documents and the performance you expect with Original HP PageWide cartridges.



HP PageWide Managed Color Flow MFP E58650z



HP PageWide Managed Color MFP E58650dn




Data sheet | HP PageWide Managed Color MFP E58650 series

Product walkaround

- 1.100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning—with HP EveryPage (586z only)
- 2. Intuitive 20.3 cm (8-inch) pivoting colour touchscreen
- 3. Flatbed scanner handles up to 216 x 356 mm paper
- 4. Hardware integration pocket¹ for solution integration
- 5. Easy-access USB port to save and print files directly
- 6. Pull-out keyboard for easy, accurate data entry (586z model only)
- 7. Front door access to ink cartridges
- 8. Built-in automatic two-sided printing
- 9. 50-sheet multipurpose tray 1
- 10.500-sheet input tray 2
- 11. 300-sheet output bin
- 12. HP High-Performance Secure Hard Disk
- 13. Fax port
- 14. Slot for cable-type security lock
- 15. Hi-Speed USB 2.0 printing port
- 16. Built-in Gigabit Ethernet
- 17. USB port for connecting external USB devices





Series at a glance

keyboard





Model	HP PageWide Managed Color Flow MFP E58650z	HP PageWide Managed Color MFP E58650dn
Product number	L3U43A	L3U42A
50-sheet multipurpose tray 1; 500-sheet tray 2	Yes	Yes
1x500-sheet paper tray	Optional	Optional
3x500-sheet paper tray and stand	Optional	Optional
Printer cabinet and stand	Optional	Optional
HP High-Performance Secure Hard Disk	Yes	Yes
Scan speed (single-pass, two-sided, A4) ^{2,3}	Up to 70 ipm, black and colour	Up to 44 images per minute (ipm), black; up to 40 ipm, colour
Wireless direct printing4/NFC5	Optional	Optional
Fax	Yes	Optional
Advanced workflow features, including pull-out	Yes	Not available



Data sheet | HP PageWide Managed Color MFP E58650 series

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hr Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



















Top Features

Count on exceptional value and the results enterprises need to stay ahead—HP PageWide Technology is engineered to produce professional-quality color documents for the lowest total cost of ownership in its class.3

Help elevate workgroup productivity with best-in-class print speeds, blazing-fast first-page printing, and single-pass two-sided scanning. Built-in Gigabit Ethernet and wireless printing options help busy teams stay connected.7

Trust that this HP PageWide Managed MFP is secure from power-up to power-down. Count on strong protection for devices, data, and documents with deepest embedded printer security from HP,² and centrally manage your entire fleet with ease.

Minimize interruptions and downtime with efficient, reliable performance. Conserve resources with an MFP designed to use less energy than lasers. 13 HP PageWide Technology is ideal for today's busy office.

Product

L3U43A HP PageWide Managed Color Flow MFP E58650z L3U42A HP PageWide Managed Color MFP E58650dn

Accessories

B5L28A HP Internal USB Ports (Only for E58650z)

CC487A HP LaserJet MFP Analog Fax Accessory 500 (Only for E58650z)

HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM E5K48A

HP Trusted Platform Module Accessory (Only for E58650dn) F5S62A

G1W43A HP PageWide Enterprise 500-sheet Paper Tray **G1W44A** HP PageWide Enterprise Printer Cabinet and Stand

G1W45A HP PageWide Enterprise 3x500 sheet Paper Tray and Stand

HP Jetdirect 3000w NFC/Wireless Accessory **AUEUSI** HP Jetdirect 2900nw Print Server J8031A

CZ028A HP Common Card Reader

Replacement cartridges

LOR20YC HP 981YC Extra High Yield Black Original PageWide Cartridge (~21,000 ISO yield) HP 981YC Extra High Yield Cyan Original PageWide Cartridge (~16,000 ISO yield) LOR17YC LOR18YC HP 981YC Extra High Yield Magenta Original PageWide Cartridge (~16,000 ISO yield) LOR19YC HP 981YC Extra High Yield Yellow Original PageWide Cartridge (~16,000 ISO yield)

B5L09A HP Officejet Enterprise Ink Collection Unit

HP Care Packs

U9DA1F HP 3-year Next Business Day + DMR Color PageWide E58650 MFP Managed Hardware Supplies U9DA2E HP 4-year Next Business Day + DMR Color PageWide E58650 MFP Managed Hardware Supplies HP 5-year Next Business Day + DMR Color PageWide E58650 MFP Managed Hardware Supplies U9DA3E U9DA4E HP 1-year Post Warranty Next Business Day + DMR Color PageWide E58650 MFP Managed

Hardware Supplies

U9DA5E HP 2-year Post Warranty Next Business Day + DMR Color PageWide E58650 MFP Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc



Data sheet | HP PageWide Managed Color MFP E58650 series

HP PageWide Managed Color MFP E58650 series

Model	HP PageWide Managed Color Flow MFP E58650z	HP PageWide Managed Color MFP E58650dn	
Product number	L3U43A	L3U42A	
Functions	Print, copy, scan, fax	Print, copy, scan	
Print	Automatic (standard)		
Duplex print options	Black (normal, A4): Up to 50 ppm; Black (Draft, A4): Up to 75 ppm; Black (Duplex, A4): Up to 25 ipm; Black (ck (Dunley, letter). His to 25 inm	
Print speed ⁶ First page out ⁷	Color (normal, A4): Up to 50 ppm; Color (Draft, A4): Up to 75 ppm; Color (Duplex, A4): Up to 25 ipm; Color Black (A4, ready): As fast as 7.1 sec		
Print technology	Color (A4, ready): As fast as 7.3 sec HP PageWide Technology		
Print resolution	Black (best): Up to 1200 x 1200 optimized dpi (when printing from a computer on HP ColorLok paper, HP Premium Inkjet Presentation Paper Matte, and HP Inkjet Brochure Paper Matte and 600 x 600 input dpi) Color (best): Up to 2400 x 1200 optimized dpi (when printing from a computer on HP Advanced Photo Papers and 600 x 600 input dpi)		
Print resolution technology	HP PageWide Technology		
Print cartridges number	4 (1 each black, cyan, magenta, yellow)		
Standard print languages Printer management	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7) Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template Managed Printing Administration, PRNCOR LESC; HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug a Pro Proxy Agent); HP JetAdvantage Security Manager	, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP W	
Scan			
Scan type technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)	Name Adults to 44 ppm/44 ipm (bS.u) up to 40 ppm/40 ipm (color)	
Scan speed Scan resolution	Normal, A4: Up to 45 ppm/70 ipm (b8w), up to 45 ppm/70 ipm (color) Enhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	Normal, A4: Up to 44 ppm/44 ipm (b&w), up to 40 ppm/40 ipm (color)	
Scan size	ADF: 216 x 356 mm Flatbed: 216 x 356 mm		
Scan input mode	Front panel applications: Copy, E-mail, Fax, Save to Network Folder, Save to USB, Save to Device Memory, Save to SharePoint, Open Extensibility Platform (OXP) applications	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications	
Scan file format	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, JTIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), PCT (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn., .pd, .cht)	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	
Сору			
Copy speed ⁴	Black (normal, A4): Up to 50 cpm; Black (normal, letter): Up to 50 cpm; Color (normal, A4): Up to 50 cpm; Color (normal, letter): Up to 50 cpm; Black Duplex (A4): Up to 25 cpm; Color (Duplex, A4): Up to 25 cpm; Color Duplex (Back Duple		
First copy out	Control Courses, April 10 to 22 Control Course Cour		
Copy resolution	Black (text and graphics): Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF); Color (text and graphics): Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF)		
Max no of copies	Up to 9999 copies		
Copier resize	25 to 400%		
Copier settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-u	p, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage	
Fax resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)	Not available	
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number	Not available	
ran smare sortware reactives	confirmation; Holiday fax schedule		
Connectivity			
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	
Mobile print capability	HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0		
Wireless capability	Optional, enabled with purchase of a hardware accessory Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 8	202 3az (FEE) support on East Ethernet and Gigahit Ethernet: IDsec (standard)	
Network capabilities Memory	visit in produced continue and objects to the second of the second of the second objects		
Processor speed	1.2 GHz		
Duty cycle (monthly)	Up to 120,000 pages; Recommended monthly page volume⁸: 2000 to 15,000		
Paper handling			
Input	500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Optional 500 sheet tray 3; Optional integrated cart/stand with 500 sheet tray 3, 500 sheet tray 4, and 500 sheet tray 5		
Dutput	300 sheet face-down output bin		
Media type Media weight	Plain paper (light, intermediate, mid-weight, heavy, exta heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (plain paper); 125 to 2		
Media sizes custom	125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102		
Dimensions (W x D x H)	210 to 216 x 356 mm 530 x 564 x 529 mm		
Weight	550X 554X 525 IRIN 523 Kg		
What's in the box	HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord	HP PageWide Managed Color MFP E58650dn; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord	
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.		
Systems			
Compatible operating systems 11	Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 10 all 32- & 64-bit editions (Swindows 10 all 32- & 64-bit editions, Windows 10 all 32- & 64-bit editions, Windows 10 all 32- & 64-bit editions, Windows 10 all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (Bextuding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (Excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (Excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions, Windows 8/8.1 all 3		
Minimum system requirements	PC: CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wireless connection Mac: Internet, USB, 1 GB available hard drive space; OS compatible hardware; (See Apple.com)		
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Control panel Display	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard 8.0 in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	
Power	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 VAC	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 VA	
	(+/- 10%), 50/60 Hz (+/- 3 Hz); Power consumption ² : 62 watts (printing), 26.5 watts (ready), 8.5 watts (sleep), 0.3 watts (manual-off), 0.3 watts (auto-off/manual-on); Typical Electricity Consumption number : Ba: 1.148 kWh/wk; ES: 1.477 kWh/wk	(+/-10%), 50/60 Hz (+/-3 Hz); Power consumption² : 62 watts (printing), 24.0 watts (ready), 8.5 watts (sleep), 0.3 watts (manul-off), 0.3 watts (auto-off/manual-on), Typical Electricity Consumption number Bar 1.1 Ha (Whitwick; ES1.1868 WM/lwk)	
	For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Software Installer/Uninstal	end Fax, HP Update, Product Registration Assist, HP Connected, Online user manuals; For Mac OS; Welcome	
Software included	screen directs users to HP com or (1) application course for printer cottwers	screen areas users to in-izon or to supplication source for primer soware Accoustic Power Emissions; 6.8 B(A), printing coor conjunction of the printing source for primer soware Accoustic Power Emissions; 6.8 B(A), printing coor simplex AV at 50 ppm; Acoustic Power Emissions (ready): 3.5 B(A); Acoustic Pressure Emissions Bystander (ready): 15 dB(A) Accoustic Power Emissions; 6.8 B(A), printing coor simplex AV at 50 ppm; Acoustic Power Emissions (ready): 3.5 B(A); Acoustic Pressure Emissions Bystander (ready): 15 dB(A) Accoustic Power Emissions; 6.8 B(A), printing coor simplex AV at 50 ppm; Acoustic Power Emissions (ready): 3.5 B(A); Acoustic Pressure Emissions Bystander (ready): 15 dB(A) Accoustic Power Emissions; 6.8 B(A), printing coor simplex AV at 50 ppm; Acoustic Power Emissions (ready): 3.5 B(A); Acoustic Pressure Emissions Bystander (ready): 15 dB(A) Accoustic Power Emissions; 6.8 B(A), printing coordinates (ready): 3.5 B(A); Acoustic Power Emissions; 6.8 B(A); Acoustic Powe	
	screen directs users to HP.com or OS application source for printer software Accoustic Power Emissions: 6.8 B(A), printing color simplex A4 at 50 ppm; Acoustic Power Emissions (rea	dy): 3.5 B(A); Acoustic Pressure Emissions Bystander (readv): 15 dB(A)	
Acoustics	Accoustic Power Emissions: 6.8 B(A), printing color simplex A4 at 50 ppm; Acoustic Power Emissions (rea Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 15 to 30°C; Non-operating Temperature: 15 to 30°C; Non-operature: 15 to 30°C; Non		
Software included Acoustics Environmental ranges Security management	Accoustic Power Emissions: 6.8 B(A), printing color simplex A4 at 50 ppm; Acoustic Power Emissions (rea Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 15 to 30°C; Non-op- Operating Humidity Range: 20 to 60% RH Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authenti	erating Humidity Range: 5 to 90% RH; Operating Humidity Range: 20 to 80% RH; Recommended 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, cation (EAP-PEAP EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption,	
Acoustics Environmental ranges	Accoustic Power Emissions: 6.8 B(A), printing color simplex A4 at 50 ppm; Acoustic Power Emissions (rea Operating Temperature Range: 15 to 30°C; Necommended Operating Temperature: 15 to 30°C; Non-opoperating Humidity Range: 20 to 60°N RH Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and Pre-Shared Key, and Kerberos authentication, Supports WIA-10 iPsec configuration Plug-in, 802.118 authentite Encrypted PDF & Email (uses FIPS 140-2 validated cryptographic libraries), Secure Erase, SSL/TLS (HTTPS), Escurity Solutions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security	erating Humidity Range: 5 to 90% RH; Operating Humidity Range: 20 to 80% RH; Recommended 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, cation (EAP-PEAP EAP-TLS), SNNPV3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, incrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for y management: Compatible with optional HP JetAdvantage Security Manager	
Acoustics Environmental ranges Security management	Accoustic Power Emissions: 6.8 B(A), printing color simplex A4 at 50 ppm; Acoustic Power Emissions (rea Operating Temperature Range: 15 to 30°C; Necommended Operating Temperature: 15 to 30°C; Non-opi Operating Humidity Range: 20 to 60% RH Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication; Pipsed PDF & Email (uses FIPS 140-2 validated cryptographic libraries), Secure Erase, SSL/TLS (HTTPS), Escurity Solitions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security Solitions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security Solitions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security Solitions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security Solitions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security Solitions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security Solitions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security Solitions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security Solitions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security Solitions, HP Sure Start, Start	erating Humidity Range: 5 to 90% RH; Operating Humidity Range: 20 to 80% RH; Recommended 3rd party advanced authentication solutions (e.g., badge readers); Network: iPsec/firewall with Certificate, cation (EAP-PEAP, EAP-TLS), SMMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, incrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for ymanagement: Compatible with optional HP JetAdvantage Security Manager C:2011; EN 62479:2010 / IEC 62479:2010; Compliance of IEC 60950-1 standard considers all country	
Acoustics Environmental ranges	Accoustic Power Emissions: 6.8 B(A), printing color simplex A4 at 50 ppm; Acoustic Power Emissions (rea Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 15 to 30°C; Non-opoperating Humidity Range: 20 to 60% RH. Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and Pre-Shared Key, and Kerberos authentication, supports WIA-10 IPsec configuration Plug-in, 802.11X authentit Encrypted PDF & Emial (uses FIPS 140-2 validated cryptographic libraries), Secure Eraes, SEJTTLS (HTTPS), security solutions, HP Sure Start, intrusion detection, whitelisting, optional Trusted Platform Module; Security (15005-112005+A1:2007+A2:2013; ENG0950-1:2006+A1:1:2009+A1:2010+A1:22011+A2:2013/+A2 deviations according to the most recent IECEE CB Bulletin; UL/CUL Listed and UC Cot CUS/Canada); 65 Certific	erating Humidity Range: 5 to 90% RH; Operating Humidity Range: 20 to 80% RH; Recommended 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, cation (EAP-PEAP, EAP-TLS), SMMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, incrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for ymanagement: Compatible with optional HP JetAdvantage Security Manager C:2011; EN 62479:2010 / IEC 62479:2010; Compliance of IEC 60950-1 standard considers all country	



Footnotes

¹ Comparison of Enterprise devices based on manufacturers' published specifications of fastest available color mode of color business A4 MFPs \$1000-\$3000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at

Only HP Enterprise-class devices with FutureSmart offer a combination of security features for integrity checking down to the BIOS with self-healing canabilities. A FutureSmart service pack update may be required

* Unly HP Enterprise-class devices with Futuresmart offer a combination of security features for integrity checking down to the BIOS with self-healing capabilities. A Futuresmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printersthatprotect

3 Total cost of ownership Enterprise comparison based on 150,000 pages, manufacturers' published specifications for page yields and energy use, manufacturers' suggested retail price for HP hardware and supplies, average street prices for competitive devices, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, and long-life consumables of all color business A4 MFPs \$1000-\$3000 USD as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Learn more at

http://www.hp.com/go/pagewideclaims and http://www.hp.com/go/learnaboutsupplies

4 Yield based on ISO 24711 cartridge yields for HP 981YC Extra High Yield Original PageWide Cartridges, which are not included in printer purchase; purchase separately. Comparison based on ISO 24711 cartridge yields for HP 981YC Extra High Yield Original PageWide Cartridges compared with HP 981 series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

Sased on ISO 24711 cartridge yields for HP 981 series High Yield Original PageWide Cartridges compared with HP 981 series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

6 Less scheduled maintenance based on 150,000 pages printed, and published comparisons of majority of in-class color laser printers and A4 MFPs \$1000-\$3000 USD as of November 2015; market share as reported by IDC as of Q3 2015. Learn more at http://www.hp.com/go/pagewideclaims

Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and it may be limited during active

Scan speeds for E58650z are up to 70 images per minute (ipm) for A4 paper size; up to 74 ipm for letter size. Scan speeds for E58650dn are up to 44 ipm for A4 size; up to 46 ipm for letter size. Scan-to functions require an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com
⁹ Embedded OCR is intended for occasional use. For high-volume OCR usage, consider optional server-based HP Digital Sending Software.

10 Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity 11 HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

12 Based on HP Internal research on competitor offerings (Device Security Comparison January 2015), and Solutions Report on HP JetAdvantage Security Manager 2.1 from Buyers Laboratory LLC, February 2015. Requires separate purchase. For details, see http://www.hp.com/go/securitymanager

Requires separate purchase. For declaits, see http://www.njb.com/go/security/final-ager

3 Energy claim for Enterprise devices based on TEC data reported on energystar.gov. Data normalized to determine energy efficiency of majority of in-class color laser MFPs \$1000—\$3000 USD and color laser
printers \$500—\$1249 USD as of November 2015; market share as reported by IDC as of Q3 2015. Actual results may vary. Learn more at http://www.hp.com/go/pagewideclaims

14 Available only as part of an HP Managed Print Services contract. Feature applies to pages with the equivalent of an approximately ½ x ½-inch or 12.7 mm x 12.7 mm x quare of color coverage. For details, contact

your HP MPS account manager

Product Walkaround disclaimers

Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

² Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

3 Scanning requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.
4 Wireless direct printing requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi® network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see hp.com/go/businessmobileprinting.

Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)—enabled printing. For more information, see hp.com/go/businessmobileprinting.

Technical specification disclaimers

With ink installed, no media in travs

Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

3 Average color composite (cyan/magenta/yellow) pages and black yields based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies

First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system

configuration, software application, driver, and document complexity.

Upgradeable with 1GB DIMM

SO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/printerclaims

7 Exact speed varies depending on the system configuration, software application, driver and document complexity.
8 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁹ HP recommends that the number of scanned pages per month be within the stated range for optimum device performance

The recommends that the number of scanned pages per mind now within the stated range for optimizing device performance.

"I PB SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required.

To learn more, visit http://www.hp.com/go/SureSupply

1 Not all "Compatibile Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software; HP Software for Mac is no longer included on the CD, but can be downloaded from hp.com; The Mac printer drivers are installed for Mac operating

systems.

The systems of the systems

To learn more, visit hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial

